








SGE3 **CBPP** INNOVATIVE TECHNOLOGIES TO SUPPORT EVENT-BASED SURVEILLANCE, E-REPORTING, TELEDIAGNOSIS, ETC.

M. Scacchia CBPP WOAH EXPERT 3rd meeting of SGE on CBPP of the GF-TADs for Africa 5-7 May 2025



CBPP Infection Foci detection

AU-IBAR emphasises CBPP control policy concerning active surveillance and information gathering for the early detection of CBPP foci of infection

CBPP Infection Foci detection

How to identify foci of CBPP infection in some African countries due to economic issues, personnel shortages and

political-military instability?

5

CBPP Infection Foci detection

How to identify foci of CBPP infection in

African pastoral communities that often live in areas that are difficult to reach?

And also with intense animal movements, related to transhumance and pastoralism?

CBPP Infection Foci detection

 Often African pastoral communities live at the borders of several nations

 In some cases in areas characterized by political and /or military instability

EVENTS BASED SURVEILLANCE OF CBPP: INNOVATIVE TECHNOLOGIES



Events based surveillance of CBPP: Innovative Technologies

"Suspicion of CBPP related to pathological lesions"

- > Abattoir surveillance: *Post-mortem* examination
- Field surveillance: Necropsy and/or slaughtering related to traditional ceremonies

Events based surveillance of CBPP: Innovative Technologies

Identification of infection foci

involving state and private

Veterinarians, Animal Health

technicians and Meat Inspectors

Events based surveillance of CBPP: Innovative Technologies

But, identification of infection foci could involve also trained traditional leaders, breeders, local communities and eventually NGOs personnel, under VSs remote control


Events based surveillance of CBPP: Innovative Technologies

Considering these "new actors"

CBPP abattoir and field surveillance,
necessarily need, new approaches such as

Telediagnosis-Remote assistance
supported by local CBPP Experts or/and
WOAH/FAO Experts, involving VSs

WHAT IS VETERINARY TELEMEDIÇINE?



SGE3 CBPP VETERINARY TELEMEDICINE/ REMOTE VETERINARY ASSISTANCE

VT/RVA is the use of digital and telecommunication technologies to provide and improve veterinary services in areas where distance, social and political instability and the incidence of disastrous natural events do not allow constant physical contact with Farmers, Veterinarians/Technicians and Experts

SGE3 CBPP WHAT IS VETERINARY TELEMEDICINE?

Telemedicine services are assimilated to any veterinary diagnostic/therapeutic service. It is also a tool for the exchange of information between veterinarians and technicians and between them and farmers or local communities.

SGE3 CBPP VETERINARY TELEMEDICINE/ REMOTE VETERINARY ASSISTANCE

VT/RVA is not the future, it is already the present!

The truth is that it is already provided, every phone call, @mail, WhatApp, video call and photo transmission is part of VT/RVA.

But it definitely needs a standardisation.

SGE3 CBPP VETERINARY TELEMEDICINE/ REMOTE VETERINARY ASSISTANCE

Examples of VT/RVA include the use of platforms (e.g. Zoom), but especially Mobile Apps that allow a field veterinarian, veterinary technician and farmer to share with an expert data and observation of one or more sick animals or pathological lesions found, following a standardised post-mortem examination

SGE3 CBPP VETERINARY TELEMEDICINEY REMOTE VETERINARY ASSISTANCE

Experts in the field of veterinary medicine, clinicians, nutritionists, diagnosticians and pathologists will be available to field veterinarians, technicians and breeders, through digital and telecommunication technologies to share, comment on data/photos deriving from disease outbreaks

SGE3 CBPP VETERINARY TELEMEDICINEX REMOTE VETERINARY ASSISTANCE

Concerning CBPP,

what data are we talking about?

SGE3 CBPP TELEMEDICINE DATAM REMOTE VETERINARY ASSISTANCE

- Standardised forms concerning:
 - Veterinary visit to the farm;
 - Necropsy examination;
 - Collecting and sending samples to the Veterinary Diagnostic Laboratory

SGE3 CBPP TELEMEDICINE DATA/ REMOTE VETERINARY ASSISTANCE

- Standardised videos: concerning clinical symptoms in sick animals, collected by mobile. But also video conferences between farmers and veterinarians or technicians
- Standardised photos: concerning pathological findings in sick animals, collected by mobile

SGE3 CBPP TELEMEDICINE DATAMENTAL REMOTE VETERINARY ASSISTANCE

- Audio: e.g. sounds produced by animals in particular pathological situations
- Georeferencing: when available

SGE3 CBPP TELEMEDICINE DATA/ REMOTE VETERINARY ASSISTANCE

Information can be:

Static, which does not change over time (text, images, etc.),

Dynamic, which changes over time (audio, video, etc.) as a result of repeated visits to the farm.

This approach is easy to implement for traditional breeders and leaders.

SGE3 CBPP TELEMEDICINE DATA/ REMOTE VETERINARY ASSISTANCE

The quality of the information transmitted and received must be guaranteed, standardising the way of collecting it, in order to ensure the quality of the services provided through VT/RVA

VETERINARY TELEMEDICINE/ REMOTE VETERINARY ASSISTANCE

VT/RVA will be a tool for continuous

professional training of veterinarians, health
technicians, local communities, traditional
leaders and breeders

SGE3 CBPP VETERINARY TELEMEDICINE/ REMOTE VETERINARY ASSISTANCE

Keep in mind that VT/RVA is a practice tool, not a separate discipline within the veterinary profession



Mobile App: Training

This approach required online training on the most important diseases/TADs in the Region and how to collect standardised data concerning:

- Farm epidemiological data;
- Clinical visit and symptoms;
- Necropsy and Pathological lesions;
- Therapy;
- Organs photos and clinical symptoms videos, using mobile phone.



Mobile App: Training Courses

Training on how to use standardised forms related to:

- Veterinary visit to the farm;
- Necropsy examination and how to take biological material;
- Biosecurity;
- Sending material to the Veterinary Diagnostic Laboratory.



Mobile App: Training Courses

- Standardised images
 Drawing up and sharing teaching material related to photo collection on:
 - Veterinary visit to farm;
 - Clinic visit;
 - Necropsy examination;
 - Procedure for taking biological material during necropsy.

Mobile App: Photos collection

In addition, were provided to all the actors involved in this activity, via Mobile App:

Photos collections

 Characteristic lesions of the most important Pathologies for the Region
 Photos of Differential diagnosis lesions

Mobile App: Photos collection

















Adenomatosis in sheep



Anthrax





Avian Influenza

Photos



Avian

Tuberculosis App







BVD

Bluetonque

Bovine Tuberculosis



CBPP

ASF



CCPP



Clostridiosis



Coccidiosis +

Giardiasis in


lamb







Coccidiosis in lamb App















SGE3 CBPP Veterinary Telemedicine/ Remote Veterinary Assistance: Mobile App

Photos and additional standardised information are send from the field and abattoirs, by local Veterinarians or Technicians to experts, via a specific Mobile App, for quick feedback

SGE3


Mobile Ap






View all










View all



Latest Cases

استشاره وتشخيص 18/04/2025, 07:36

Cattle

بقره اصيبت بالحمى القلاعيه وتم تقديم العلاج وتحسنت ولكن بعد يومين انتكست بشده واستدعاني المربي فكانت البقره ...ضعيفه جدا وانتفاخ في الوداجي وذهاب العزم وتم

استشارة طبية. 14/04/2025, 21:00

Sheep

.بثور جلدية تشكل طبقة بيضاء سميكة، التشخيص المناسب، والعلاج الأفضل من فضلكم

استشاره 09/04/2025, 23:57

Cattle

بقره مضى على ولادتها ٧ اشهر ولم تدخل بدورة شبق بعد الولاده ابدا تم فحصها وفحص المبايض فتبين وجود جسم اصفر ...اعطيت بروستاغلندين ٤سم فيتامين

استشاره 09/04/2025, 15:08

بقره مضى على ولادتها ٢٠ يومشهيه ضعيفه وحراره ٤٠بول مدمم يشبه القهوه او الشاي الغامقدم منحل يشبه القهوهتم ...تشخيصها على انها بيله هيموغلوبينه ونقص الفوسفورتم

استشاره 08/04/2025, 20:21

Cattle

حراره ٤٠عرجتسلخات بالفم والاضلافسيلان لعابي

Latest Articles

(Test Article) Marek's disease 11/06/2024, 10:10

Thicken Marek's disease

Introduction Marek's disease is a highly contagious viral disease primarily affecting chickens, characterized by the formation of tumors and paralysis. The causative agent, Gallid alphaherpesvirus...

(Test Article) Foot rot in sheep 11/06/2024, 10:10

Sheep Sheep Foot rot

Introduction Foot rot is a highly contagious bacterial infection affecting the hooves of sheep, leading to lameness, significant discomfort, and economic losses in the sheep...

•



n Dashboard

Cases

Cases

My Cases

Favorite Cases

Library

Articles

Favorite Articles

Farm Censuses

Farm Censuses

Animals

Animals

Animal Properties

Pathologies

Pathologies

Pathology Properties

Settings

ス Language Lines

Terms and conditions



Mobile App







VETSYRIA							
♠ Dashboard							
Cases							
🔩 Cases							
My Cases							
Favorite Cases							
Library							
☑ Articles							
Favorite Articles							
Farm Censuses							
♠ Farm Censuses							
Animals							
Animals							
Animal Properties							
Pathologies							
★ Pathologies							
Pathology Properties							
Settings							
久 Language Lines							
Terms and conditions							

Powered by ing≡nia

Cases

Cases										
+ New								Q Search		
Object ↑↓	ID ↑↓	Туре	Status ↑↓	Visibility ↑↓	Read ↑↓	Translated ↑↓	Latest update ↑↓	Created at ↑↓		
استشارة طبية.	00010FV/25	Farm Visit	△ Pending	⊚ Visible	8	8	20/04/2025, 16:18	14/04/2025, 21:00	©	₫
استشاره	00007FV/25	Farm Visit	△ Pending	⊚ Visible	8	8	18/04/2025, 07:41	08/04/2025, 20:21	©	⑪
استشاره وتشخيص	00011FV/25	Farm Visit	▲ Pending	⊚ Visible	8	8	18/04/2025, 07:37	18/04/2025, 07:36	©	•
استشاره	00008FV/25	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	12/04/2025, 09:21	09/04/2025, 15:08	o	O
استشاره	00009FV/25	Farm Visit	(1) In progress	⊚ Visible	0	8	12/04/2025, 09:18	09/04/2025, 23:57	o	@
استشارة	00004FV/25	Farm Visit	(1) In progress	⊚ Visible	0	8	05/02/2025, 11:27	31/01/2025, 14:35	©	⑪
استشارة حالة مرضية	00006FV/25	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	05/02/2025, 11:25	02/02/2025, 21:36	o	•
استشارة حالة مرضية	00005FV/25	Farm Visit	(1) In progress	⊚ Visible	0	8	05/02/2025, 11:12	02/02/2025, 21:12	o	
طلب استشارة	00002FV/25	Farm Visit	(1) In progress	⊚ Visible	0	8	30/01/2025, 11:52	10/01/2025, 19:29	o	団
مشاركة الحالة مع الاطباء البيطرين	00003FV/25	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	30/01/2025, 11:50	14/01/2025, 17:50	•	
Request a consultation from an experienced veterinarian	00001FV/25	Farm Visit	(1) In progress	⊚ Visible	0	8	17/01/2025, 14:44	09/01/2025, 18:20	o	
استشاره	00038FV/24	Farm Visit	(In progress	⊚ Visible	0	8	28/11/2024, 11:35	27/11/2024, 12:55	o	₪
تشخيص وعلاج	00037FV/24	Farm Visit	(In progress	⊚ Visible	0	8	24/11/2024, 14:38	18/11/2024, 13:31	o	₪
استشاره	00034FV/24	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	28/10/2024, 16:37	15/10/2024, 12:18	•	
الاستشاره والاستفاده من خبره الدكتور والاخ الكبير ماسيمو	00036FV/24	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	28/10/2024, 16:30	24/10/2024, 16:04	o	
مشاركة حالة عجول	00031FV/24	Farm Visit	(1) In progress	⊚ Visible	0	8	28/10/2024, 16:20	09/10/2024, 12:44	o	⑪
Request for medical consultation from scientific and field experience	00033FV/24	Farm Visit	△ Closed	⊚ Visible	0	0	27/10/2024, 07:42	10/10/2024, 08:46	o	O
Request medical advice from those with scientific and field experience	00035FV/24	Farm Visit	(1) In progress	⊚ Visible	0	8	21/10/2024, 16:00	18/10/2024, 19:32	o	•
استشارة حول علاج التهاب قناة فالوب عند الأبقار	00032FV/24	Farm Visit	(1) In progress	⊚ Visible	\otimes	8	11/10/2024, 17:10	09/10/2024, 13:30	o	O
Pulmonary fibrosis	00001PM/24	Post Mortem	⚠ Pending	⊗ Hidden	0	8	10/10/2024, 08:34	01/08/2024, 17:14	o	Ð
	<<	< 1	2 3 >	» 20 ·	~					

Mobile App

Latest Cases

View all Latest Articles

Request veterinary consultation 19/06/2024, 15:04

Sheep

.Dear veterinary experts.A herd of sheep numbering 100 heads.The injured 25 heads. Skin symptoms that start small and expand, and the skin becomes hard and thick.I...

The milk curdles

19/06/2024, 12:31

🦵 Goat

Dear Veterinary ExpertsGreetingsI would like to consult you on a medical caseA goat has a normal temperature and appetite, the color of the milk Marek's disease

11/06/2024, 10:10

Thicken Marek's disease

Introduction Marek's disease is a highly contagious viral disease primarily affecting chickens, characterized by the formation of tumors and paralysis. The causative agent, Gallid alphaherpesvirus...

Foot rot in sheep

11/06/2024, 10:10

* Sheep Foot rot

Introduction Foot rot is a highly contagious bacterial infection affecting the hooves of sheep, leading to lameness, significant discomfort, and economic losses in the sheep...





 $\Gamma \rightarrow$

Farm Censuses

Farm Censuses

Favorite Articles

VETSYRIA

n Dashboard

Cases

Library ☐ Articles

Cases

My Cases

Favorite Cases

Animals

Animals

Animal Properties

Pathologies

₽ Pathologies

➡ Pathology Properties

Settings

へ Language Lines

Terms and conditions

My fellow doctors, male and female veterinarians, I would like to obtain your professional and field expertise in the case of persistent estrus in a...

Seeking advice about a case of an acute diarrhea in a young calf 18/06/2024, 10:46

Cattle

Dear veterinary experts, I am asking about the possibility of controlling a case of severe diarrhea in a three-month-old calf. The diarrhea is yellow

Request veterinary advice about a complex case

17/06/2024, 17:04


📸 Sheep

Hello, my fellow doctors, male and female veterinarians. I am asking for your help in a case that affects young sheep between the ages of...


俞


Mobile App

Request veterinary consultation



Type Farm Visit Farm Owner Address Visit date 2024-06-01 Visit number














VETERINARY TELEMEDICINE: CBPP AND ANTIBIOTICS







ANTIBIOTICS AND CBPP: TANZANIA STUDY

Antibiotics and CBPP: Tanzanian experience

The results from the **400 interviews** show that **Tylosin** is the most commonly used antibiotic by 286 (84.87%), followed by **Oxytetracycline** 47 (14.39%) and **Enrofloxacin** 3 (0.89%)

346 (86.50%) knows about CBPP, while 41 (10.25%) never sought professional advice, and 347 (86.75%) used antibiotics to treat CBPP

Source: Emile Singano, TVLA-Tanzania

Antibiotics and CBPP: Tanzanian experience

122 (34%) of cattle keepers practice self-treatment to cattle, 77(20.98%) do not complete the dosage, and 103 (28.06%) do not follow the withdrawal period

Cattle keepers 261 (65.74%) do not know about AMR

Source: Emile Singano, TVLA-Tanzania



ANTIBIOTICS AND CBPP: KENYA STUDY

Kenya outbreak investigation: CBPP treatment

Antibiotics used

- Farm 1 (Kajiado) _ PenStrep, Oxytetracycline (10%, 20%, & 30%), Dexamethasone _ Tylosin administered by the CDVS which stopped the deaths
- Farm 2 (Kajiado) _ Betamox, Oxytetracycline 10% and later 30%
- Farm 3 (Kajiado) _ PenStrep, Oxytetracycline, Diaminazene Diaceturate, Metaphos (phosphorus and Vit B12 supplement), and Butaphos Dewormers
- Farm 4 (Marsabit) _ Oxytetracycline 10%, 5%
- Farm 5 (Laikipia) _ Oxytetracycline, Butalex, Multivitamin, Dexamethasone
- Farm 6 (Isiolo) _ PenStrep, Antihistamine, multivitamin and, Tylosin
- The overall herd mortality rate for CBPP was estimated to be 30%
- CBPP causes high economic losses to farmers through the purchase of drugs and loss of animals
- Self-treatment by farmers is common, at times the vets may inject the first dose and leave drugs with the farmers to continue with subsequent injections
- · One ranch in Laikipia sourced Tulathromycin to successfully treat CBPP





Drugs used by farmers for



According WOAH PVS, use of antibiotics is **OUT OF VETERINARY** CONTROL in a large number of African countries!!!!

Source: Emile Singano, TVLA-Tanzania

Antibiotics

Antibiotic treatments, given the problems related to residues in meat and milk and AMR, have to be carried out under the Direct control or using VT/RVA, of Veterinarians or Animal Health Technicians,

Traditional leaders or farmers must be properly trained by VSs

SGE3 CBPP VETERINARY TELEMEDICINEX REMOTE VETERINARY ASSISTANCE

Therapy

The purpose of this service is for a veterinarian to define the therapy, following a suspected diagnosis, and to give clear information to farmers, on the drug to be used, the dosages, the duration of therapy, drug storage and above all the withdrawal times in milk and meat.

TECHNOLOGICAL NEEDS



TECHNOLOGICAL NEEDS

Field Vets and Technicians


- Mobile phones or tablets
- Telephone connection
- @mail, if possible
- Offices with electricity and Internet connection

Telemedicine/Tele-assistance Secretariat

Internet connection

Internet access in Africa

March 2024



Thank you!

m.scacchia@izs.it

